

# CONCRETE

25x60

Bicottura Double-Fired  
Bicuisson Zweibrandverfahren





CONCRETE



# CONCRETE

25x60

Bicottura  
Double-Fired  
Bicuisson  
Zweibrandverfahren


INKJET



Conforme According to  
Conforme Gemäß  
UNI EN 14411 - L BIII



CONCAV **CONCRETE AVORIO**  
85 MQ 25x60 10"x24"  
SPESSORE THICKNESS 9 mm MQ/BOX 1,35 KG/BOX 19,20  
MQ/PALLET 64,80 BOX/PALLET 48 PCS/BOX 9



CONCGR **CONCRETE GRIGIO**  
85 MQ 25x60 10"x24"  
SPESSORE THICKNESS 9 mm MQ/BOX 1,35 KG/BOX 19,20  
MQ/PALLET 64,80 BOX/PALLET 48 PCS/BOX 9



CONCTA **CONCRETE TABACCO**  
85 MQ 25x60 10"x24"  
SPESSORE THICKNESS 9 mm MQ/BOX 1,35 KG/BOX 19,20  
MQ/PALLET 64,80 BOX/PALLET 48 PCS/BOX 9



CONCPi **CONCRETE PIOMBO**  
85 MQ 25x60 10"x24"  
SPESSORE THICKNESS 9 mm MQ/BOX 1,35 KG/BOX 19,20  
MQ/PALLET 64,80 BOX/PALLET 48 PCS/BOX 9



CONCMOTA **CONCRETE MOSAICO MIX AVORIO/TABACCO**  
92 MQ 25x60 10"x24"  
SPESSORE THICKNESS 9 mm MQ/BOX 1,35 KG/BOX 19,00  
MQ/PALLET 64,80 BOX/PALLET 48 PCS/BOX 9



CONCMOGP **CONCRETE MOSAICO MIX GRIGIO/PIOMBO**  
92 MQ 25x60 10"x24"  
SPESSORE THICKNESS 9 mm MQ/BOX 1,35 KG/BOX 19,00  
MQ/PALLET 64,80 BOX/PALLET 48 PCS/BOX 9



CONCDEAT **CONCRETE DECORO WEST AVORIO/TABACCO**  
75 PZ 25x60 10"x24" PCS/BOX 4



CONCDEGP **CONCRETE DECORO WEST GRIGIO/PIOMBO**  
75 PZ 25x60 10"x24" PCS/BOX 4

45x45 Pavimento Coordinato | Coordinated Floor | Sol Coordonné | Passende Bodenfliese



CONCTAPOR **CONCRETE TABACCO** GRES PORCELLANATO  
74 MQ 45x45 18"x18"  
SPESSORE THICKNESS 9 mm  
MQ/BOX 1,418 KG/BOX 25,00  
MQ/PALLET 73,74 BOX/PALLET 52 PCS/BOX 7



CONCPiPOR **CONCRETE PIOMBO** GRES PORCELLANATO  
74 MQ 45x45 18"x18"  
SPESSORE THICKNESS 9 mm  
MQ/BOX 1,418 KG/BOX 25,00  
MQ/PALLET 73,74 BOX/PALLET 52 PCS/BOX 7